



中国认可
检验
INSPECTION
CNAS IB0071

货物运输条件鉴定书

Certification

for Safe Transport of Chemical Goods

危险品

样品名称 : 电动轮椅车 W5907/Q50 R Carbon (内置锂离子电池组 HC-149 24V 10Ah 240Wh)

Sample name: POWER WHEELCHAIR W5907/Q50 R Carbon (Built-in Li-ion Battery Pack HC-149 24V 10Ah 240Wh)

委托单位 : 金华市恒创新能源有限公司
Jinhua Hengchuang New Energy Co., LTD

生产单位 : 浙江英洛华康复器材有限公司
Zhejiang Innuovo Rehabilitation Devices Co., Ltd.



Witness Better Life

SICIT 上海化工院检测有限公司

Shanghai Institute of Chemical Industry Testing Co., Ltd



声 明 Statement

1. 鉴定书无上海化工院检测有限公司检验检测专用章、二维码无效。
The certification is invalid if it is not affixed the dedicated inspection and testing seal of Shanghai Institute of Chemical Industry Testing Co., Ltd. and QR Code on it.
2. 鉴定书复印件无效。
Copies of the certification are invalid.
3. 鉴定书无主检、审核、批准签字无效。
The certification is invalid without the signatures of appraiser, checker and approver.
4. 鉴定书涂改无效。
The certification is invalid if it is forged or altered.
5. 委托单位必须保证送至本公司的样品及资料与真实的出运货物相一致，如有不符，所涉及的法律责任及其他后果均由委托单位自行承担。
The client must guarantee that samples and documents provided for appraisal are consistent with the goods to be transported. Otherwise, the client shall bear all legal responsibilities and other consequences due to it.
6. 本鉴定书的鉴定结论仅适用于最终收到的样品。
The conclusion of this certification only applies to the final sample as received.
7. 本鉴定书当年有效，铁路运输方式除外。特殊情况参见鉴定书备注。
The certification is valid in the year subscribed on it except when transported by rail. Please refer to the comment of certification on special occasion.
8. 本鉴定书不考虑国家及经营人差异。
The certification takes no account of the State and Operator Variations.
9. 货物的运输方式应与鉴定结论中的运输方式相一致。不同的运输方式，鉴定结果可能会有差异。
The transportation mode of the goods shall be consistent with that in the appraisal conclusion. Different transportation modes may lead to different appraisal results.
10. 鉴定书真伪性可登入本公司网站 www.ghs.cn 或扫描鉴定书中二维码进行查询。
The authenticity of the certification can be verified by our website(www.ghs.cn) or the QR code in the certification.
11. 送检申请可登入本公司网站 www.ghs.cn 进行网上委托。
The application of the certification can be done via our website: www.ghs.cn.

地址：上海市光复西路2779号接待大厅

Address: Reception Hall, Shanghai Institute of Chemical Industry Co., Ltd, No.2779
West Guangfu Road, Shanghai, China.

邮编(Post code): 200062

电话(Tel): (008621)31765555

邮箱(Email): center@ghs.cn

网址(Website): www.ghs.cn

货物运输条件鉴定书

NO. 212200618377165

Page 1/3

Certification for Safe Transport of Chemical Goods

样品名称 Sample Name	中文 Chinese	电动轮椅车 W5907/Q50 R Carbon (内置锂离子电池组 HC-149 24V 10Ah 240Wh)					
	英文 English	POWER WHEELCHAIR W5907/Q50 R Carbon (Built-in Li-ion Battery Pack HC-149 24V 10Ah 240Wh)					
委托单位 Consignor	金华市恒创新能源有限公司 Jinhua Hengchuang New Energy Co., LTD						
生产单位 Manufacturer	浙江英洛华康复器材有限公司 Zhejiang Innuovo Rehabilitation Devices Co., Ltd.						
检验方法、程序 Inspection method and procedure	国际航空运输协会《危险品规则》63版 IATA Dangerous Goods Regulations (DGR) 63rd Edition						
样品外观 Sample appearance	黑色塑胶及金属外壳 Black Plastics cement and metal shell						
包装件信息 Package information	/						
序号 NO.	电池种类 Battery type	型号 Model	容量Capacity /锂含量Li content	放置方式 Placement	单颗重量kg Unit weight	数量 Quantity	
1	可充电锂离子电池组 Rechargeable Li-ion battery	HC-149	10Ah /240Wh	安装在车辆内 Contained in vehicle	1.42	1	
鉴定 结 论	IDENTIFICATION CONCLUSION						
	<p>1. 危险性识别 (Hazards identification)</p> <p>杂项。 Miscellaneous.</p> <p>2. 空运按照国际航空运输协会《危险品规则》办理的类项 (Suggestion according to IATA DGR)</p> <p>Shipping name: Battery-powered vehicle Class or division: 9 UN Number: UN3171</p> <p>3. 包装要求 (Packaging requirements)</p> <p>按UN3171要求办理。 The goods are packaged according to UN3171.</p>						
	检验日期: Inspection Date:		2022-01-10		签发日期: Issue Date:		2022-01-10
				生效日期: Effective Date:		2022-01-10	
备注 Comment	/						



批准 Approver: 王宗

审核 Checker: 董学胜

主检 Appraiser: 强杨幸



货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212200618377165

Page 2/3

序号 No.	检验结果及其他事项 Inspection results and other things
1	<p>本报告所述锂电池按照《危险品规则》(63版)[以下简称DGR] 3.9.2.6.1(e)规定的质量管理体系进行制造。 本报告所述锂电池不属于因安全原因召回或损毁的锂电池。 Lithium cells and batteries listed in this report were manufactured under the quality management program described in IATA DGR 63rd 3.9.2.6.1(e). Lithium cells and batteries listed in this report are not the defective cells or batteries returned to the manufacturer for safety reasons.</p>
2	<p>本报告所述锂电池已通过《联合国试验和标准手册》第III部分38.3小节相应测试要求。 Lithium cells and batteries listed in this report are of the types proved to meet the requirements of each applicable test in the UN Manual of Tests and Criteria, Part III, sub-section 38.3. UN38.3试验概要编号 The UN38.3 Test Summary No. (s) 81210000762169 详细信息请扫描右侧二维码。 Please scan the QR code on the right for more information.</p> 
3	<p>电池应安装并固定在车辆的电池仓内，并有适当的防止损坏及短路的保护措施。 The batteries should be installed and securely fastened in the battery holder of the vehicle and be protected in a suitable manner to prevent damage and short circuits.</p>
4	<p>如果车辆可能非直立放置，车辆应固定在坚固的刚性外包装内。车辆应牢固固定在外包装内，以防止任何运输过程中可能改变方向或导致车辆损坏的移动。 Where vehicles could possibly be handled in other than an upright position, the vehicle must be secured in a strong, rigid outer packaging. The vehicle must be secured by means capable of restraining the vehicle in the outer packaging to prevent any movement during transport which would change the orientation or cause the vehicle to be damaged.</p>
5	<p>车辆必须固定(或包装)以防意外启动。 车辆操作或安全所需的危险货物(如灭火器、轮胎充气罐或安全装置)应牢固地安装在车内。 装有防盗装置、无线电通信设备或导航系统的车辆应禁用此类装置、设备或系统。 Vehicles must be packed to prevent accidental activation. Dangerous goods required for the operation or safety of the vehicle, such as fire extinguishers, tyre inflation canisters or safety devices, must be securely mounted in the vehicle. Vehicles equipped with theft-protection devices, installed radio communications equipment or navigational system must have such devices, equipment or system disabled.</p>
6	<p>每个包装件必须贴有9类危险性标签。 Each package must be labelled with the Class 9 hazard label.</p>
7	/
-验证码:946655-	


刚有
检测专
(27)

货物运输条件鉴定书

Certification for Safe Transport of Chemical Goods

NO. 212200618377165

Page 3/3



Product Name: Li-ion
Battery Pack
Model: HC-149
Capacity
Voltage: 24V10Ah
Wah: 240Wh



报告结束